

PJS

3/15/2006

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	98	(715/542).CCLS.	USPAT; USOCR	OR	OFF	2006/03/15 09:20
L1	140	(715/542).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/03/15 09:20
S42 9	90	((chang\$3 dynamic\$4 select\$3 rais\$3 lower\$3 increas\$3 decreas\$3) NEAR2 escape) SAME character\$1	US-PGPUB; USPAT	OR	OFF	2006/03/14 07:22
S42 8	3186	(chang\$3 dynamic\$4 select\$3 rais\$3 lower\$3 increas\$3 decreas\$3) NEAR2 escape	US-PGPUB; USPAT	OR	OFF	2006/03/14 07:22
S42 7	0	(escape NEAR2 \$1mbed\$4) SAME (every NEAR2 character)	USPAT	OR	OFF	2006/03/14 07:16
S42 6	1	("5751231").URPN.	USPAT	OR	OFF	2006/03/14 07:16
S42 5	12	(escape ADJ (byte\$1 code\$1 character\$1)) NEAR4 (greater)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S42 4	57	(escape ADJ byte\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S42 3	1	greater NEAR3 (escape ADJ character\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S42 2	0	(escape ADJ character\$1) SAME (double\$1byte\$1 (double ADJ byte\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S42 1	0	(escape ADJ character\$1) SAME (double\$1byte\$1 (double ADJ byte\$1))	US-PGPUB; USPAT	OR	OFF	2006/03/14 07:16
S42 0	1	greater NEAR3 (escape ADJ character\$1)	US-PGPUB; USPAT	OR	OFF	2006/03/14 07:16
S41 9	22	select\$6 NEAR3 (escape ADJ character\$1)	US-PGPUB; USPAT	OR	OFF	2006/03/14 07:16
S41 8	613	escape ADJ character\$1	US-PGPUB; USPAT	OR	OFF	2006/03/14 07:16

EAST Search History

S41 7	1	ascii SAME unicode SAME (escape ADJ code\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S41 6	26	(escape ADJ code\$1) NEAR3 variabl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S41 5	4	(escape ADJ code\$1) SAME (((double mixed) NEAR3 byte\$1) double\$1byte\$1 mixed\$1byte\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S41 4	3	(escape ADJ code\$1) SAME trade\$1off\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S41 3	10	(escape ADJ code\$1) NEAR4 greater	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S41 2	0	(escape ADJ code\$1) NEAR4 (greater ADJ than)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S41 1	184	(escape ADJ code\$1) AND trade\$1off\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S41 0	86	(escape ADJ code\$1) AND compromis\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16

EAST Search History

S40 9	86	(escape ADJ code\$1) NEAR4 character\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S40 8	0	(escape ADJ code\$1) NEAR4 character\$1 NEAR5 each	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S40 7	0	(escape ADJ code\$1) NEAR4 character\$1 NEAR5 per	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S40 6	6	(high NEAR ascii)	USPAT	OR	OFF	2006/03/14 07:16
S40 5	0	(high NEAR ascii) SAME escape\$1	USPAT	OR	OFF	2006/03/14 07:16
S40 4	0	(high NEAR ascii) SAME escape	USPAT	OR	OFF	2006/03/14 07:16
S40 3	28	(extended NEAR2 ascii) AND escape\$1	USPAT	OR	OFF	2006/03/14 07:16
S40 2	123	extended NEAR2 ascii	USPAT	OR	OFF	2006/03/14 07:16
S40 1	5	(extended NEAR2 ascii) SAME mix\$2	USPAT	OR	OFF	2006/03/14 07:16
S40 0	3	(extended NEAR2 ascii) SAME escape\$1	USPAT	OR	OFF	2006/03/14 07:16
S39 9	189	("16" NEAR bit\$1) AND (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S39 8	213	((program ADJ code) SAME (message\$1 text string\$1)) AND ((look\$1up "look up") ADJ table\$1)	USPAT	OR	OFF	2006/03/14 07:16
S39 7	189	("16" NEAR bit\$1) AND (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S39 6	213	((program ADJ code) SAME (message\$1 text string\$1)) AND ((look\$1up "look up") ADJ table\$1)	USPAT	OR	OFF	2006/03/14 07:16
S39 5	5	(escape ADJ code\$1) AND ((single AND double) NEAR3 byte\$1)	USPAT	OR	OFF	2006/03/14 07:16
S39 4	4	mixed SAME dbcs SAME sbcs	USPAT	OR	OFF	2006/03/14 07:16

EAST Search History

S39 3	6	(mixed ADJ string\$1) AND single AND double	USPAT	OR	OFF	2006/03/14 07:16
S39 2	4	mixed ADJ character ADJ string\$1	USPAT	OR	OFF	2006/03/14 07:16
S39 1	10	("5440482" "5485373" "5758314" "5787452" "5793381" "5832507" "5873111" "5929729" "6049869" "6055365").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 07:16
S39 0	5	mixed SAME (character ADJ set\$1) SAME double SAME single	USPAT	OR	OFF	2006/03/14 07:16
S38 9	43	mixed SAME (character ADJ set\$1)	USPAT	OR	OFF	2006/03/14 07:16
S38 8	16	("5418718").URPN.	USPAT	OR	OFF	2006/03/14 07:16
S38 7	16	sbcS SAME dbcs	USPAT	OR	OFF	2006/03/14 07:16
S38 6	83	mbscS	USPAT	OR	OFF	2006/03/14 07:16
S38 5	2	mbscS SAME ascII	USPAT	OR	OFF	2006/03/14 07:16
S38 4	5	(double\$1byte "double byte" half\$1word\$1 "half word" "double bytes" "half words") SAME (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S38 3	4	(double\$1byte "double byte") AND (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S38 2	26	ascII SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S38 1	40	(bios NEAR2 code\$1) SAME graphic\$1	USPAT	OR	OFF	2006/03/14 07:16
S38 0	4	"5812390".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S37 9	28	bios SAME ((conserv\$4 consolidat\$4 minimiz\$4) NEAR2 (size\$1 space\$1 memory\$1 code\$1))	USPAT	OR	OFF	2006/03/14 07:16
S37 8	7	bios SAME (text string\$1 message\$1) SAME (program ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S37 7	71	identifier\$1 NEAR2 correspond\$3 NEAR2 (text\$1 string\$1 message\$1)	USPAT	OR	OFF	2006/03/14 07:16
S37 6	14	"4949302".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S37 5	40	message\$1 NEAR (look\$1up ADJ table\$1)	USPAT	OR	OFF	2006/03/14 07:16
S37 4	49	(message\$1 NEAR token\$1) SAME (look\$1up table)	USPAT	OR	OFF	2006/03/14 07:16

EAST Search History

S37 3	10	(message\$1 NEAR table\$1) SAME token\$1	USPAT	OR	OFF	2006/03/14 07:16
S37 2	5	("5519832" "5630048" "5761505" "5930503" "5933594").PN.	USPAT	OR	OFF	2006/03/14 07:16
S37 1	26	token\$1 NEAR2 correspond\$3 NEAR2 (text\$1 string\$1 message\$1)	USPAT	OR	OFF	2006/03/14 07:16
S37 0	36	separate\$1 SAME text SAME token\$1 SAME (program code)	USPAT	OR	OFF	2006/03/14 07:16
S36 9	23	separate SAME text SAME token SAME (program code)	USPAT	OR	OFF	2006/03/14 07:16
S36 8	3	(double\$1byte "double byte") SAME (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S36 7	3	(extended ADJ ascii) AND (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S36 6	3	(double\$1byte "double byte") SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S36 5	3	"6052800".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S36 4	3	(double\$1byte "double byte") SAME (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S36 3	5	(double\$1byte "double byte" half\$1word\$1 "half word" "double bytes" "half words") SAME (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S36 2	4	(double\$1byte "double byte") AND (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S36 1	3	(extended ADJ ascii) AND (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S36 0	3	(double\$1byte "double byte") SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S35 9	26	ascii SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S35 8	40	(bios NEAR2 code\$1) SAME graphic\$1	USPAT	OR	OFF	2006/03/14 07:16
S35 7	4	"5812390".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S35 6	28	bios SAME ((conserv\$4 consolidat\$4 minimiz\$4) NEAR2 (size\$1 space\$1 memory\$1 code\$1))	USPAT	OR	OFF	2006/03/14 07:16
S35 5	7	bios SAME (text string\$1 message\$1) SAME (program ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S35 4	71	identifier\$1 NEAR2 correspond\$3 NEAR2 (text\$1 string\$1 message\$1)	USPAT	OR	OFF	2006/03/14 07:16
S35 3	14	"4949302".URPN.	USPAT	OR	OFF	2006/03/14 07:16

EAST Search History

S35 2	40	message\$1 NEAR (look\$1up ADJ table\$1)	USPAT	OR	OFF	2006/03/14 07:16
S35 1	49	(message\$1 NEAR token\$1) SAME (look\$1up table)	USPAT	OR	OFF	2006/03/14 07:16
S35 0	10	(message\$1 NEAR table\$1) SAME token\$1	USPAT	OR	OFF	2006/03/14 07:16
S34 9	5	("5519832" "5630048" "5761505" "5930503" "5933594").PN.	USPAT	OR	OFF	2006/03/14 07:16
S34 8	3	"6052800".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S34 7	26	token\$1 NEAR2 correspond\$3 NEAR2 (text\$1 string\$1 message\$1)	USPAT	OR	OFF	2006/03/14 07:16
S34 6	36	separate\$1 SAME text SAME token\$1 SAME (program code)	USPAT	OR	OFF	2006/03/14 07:16
S34 5	23	separate SAME text SAME token SAME (program code)	USPAT	OR	OFF	2006/03/14 07:16
S34 4	1	(mixed ADJ character ADJ string\$1) AND single AND double	USPAT	OR	OFF	2006/03/14 07:16
S34 3	1	(national ADJ language ADJ support) SAME double SAME single	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 07:16
S34 2	1	("6498657").PN.	USPAT	OR	OFF	2006/03/14 07:16
S34 1	0	(national ADJ language ADJ support) SAME (mixed NEAR2 byte\$1)	USPAT	OR	OFF	2006/03/14 07:16
S34 0	0	mbcs SAME sbcs	USPAT	OR	OFF	2006/03/14 07:16
S33 9	206	("16" NEAR2 bit\$1) AND (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S33 8	0	("5812390".PN. NEAR bit\$1) AND (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S33 7	2	(extended ADJ ascii) SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S33 6	0	(bios NEAR2 code\$1) SAME ((separate\$1 remove\$1) NEAR2 (graphic\$1 bitmap\$1))	USPAT	OR	OFF	2006/03/14 07:16
S33 5	0	(bios NEAR2 separate) NEAR2 graphic\$1	USPAT	OR	OFF	2006/03/14 07:16
S33 4	199	bios SAME (conserv\$4 consolidat\$4 minimiz\$4)	USPAT	OR	OFF	2006/03/14 07:16
S33 3	3325	(program ADJ code) SAME (message\$1 text string\$1)	USPAT	OR	OFF	2006/03/14 07:16
S33 2	0	(program ADJ code) SAME ((token\$1 identifier\$1) NEAR substitute)	USPAT	OR	OFF	2006/03/14 07:16

EAST Search History

S33 1	0	(program ADJ code) SAME (((token\$1 identifier\$1) NEAR substitute) SAME (message\$1 text string\$1))	USPAT	OR	OFF	2006/03/14 07:16
S33 0	219	bios SAME (text string\$1 message\$1) SAME code\$1	USPAT	OR	OFF	2006/03/14 07:16
S32 9	704	bios SAME (text string\$1 message\$1)	USPAT	OR	OFF	2006/03/14 07:16
S32 8	450	message\$1 NEAR token\$1	USPAT	OR	OFF	2006/03/14 07:16
S32 7	1138	message\$1 NEAR table\$1	USPAT	OR	OFF	2006/03/14 07:16
S32 6	147	(715/536).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S32 5	551	(715/531).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S32 4	111	(715/542).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S32 3	206	("16" NEAR2 bit\$1) AND (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S32 2	0	("5812390".PN. NEAR bit\$1) AND (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S32 1	2	(extended ADJ ascii) SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S32 0	0	(bios NEAR2 code\$1) SAME ((separate\$1 remove\$1) NEAR2 (graphic\$1 bitmap\$1))	USPAT	OR	OFF	2006/03/14 07:16
S31 9	0	(bios NEAR2 separate) NEAR2 graphic\$1	USPAT	OR	OFF	2006/03/14 07:16
S31 8	199	bios SAME (conserv\$4 consolidat\$4 minimiz\$4)	USPAT	OR	OFF	2006/03/14 07:16
S31 7	3325	(program ADJ code) SAME (message\$1 text string\$1)	USPAT	OR	OFF	2006/03/14 07:16
S31 6	0	(program ADJ code) SAME ((token\$1 identifier\$1) NEAR substitute)	USPAT	OR	OFF	2006/03/14 07:16
S31 5	0	(program ADJ code) SAME (((token\$1 identifier\$1) NEAR substitute) SAME (message\$1 text string\$1))	USPAT	OR	OFF	2006/03/14 07:16
S31 4	219	bios SAME (text string\$1 message\$1) SAME code\$1	USPAT	OR	OFF	2006/03/14 07:16
S31 3	704	bios SAME (text string\$1 message\$1)	USPAT	OR	OFF	2006/03/14 07:16
S31 2	450	message\$1 NEAR token\$1	USPAT	OR	OFF	2006/03/14 07:16
S31 1	1138	message\$1 NEAR table\$1	USPAT	OR	OFF	2006/03/14 07:16

EAST Search History

S310	147	(715/536).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S309	551	(715/531).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S308	111	(715/542).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S307	5	(escape ADJ code\$1) AND ((single AND double) NEAR3 byte\$1)	USPAT	OR	OFF	2006/03/14 07:16
S306	4	mixed SAME dbcs SAME sbcs	USPAT	OR	OFF	2006/03/14 07:16
S305	6	(mixed ADJ string\$1) AND single AND double	USPAT	OR	OFF	2006/03/14 07:16
S304	1	(mixed ADJ character ADJ string\$1) AND single AND double	USPAT	OR	OFF	2006/03/14 07:16
S303	4	mixed ADJ character ADJ string\$1	USPAT	OR	OFF	2006/03/14 07:16
S302	0	(national ADJ language ADJ support) SAME (mixed NEAR2 byte\$1)	USPAT	OR	OFF	2006/03/14 07:16
S301	1	(national ADJ language ADJ support) SAME double SAME single	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 07:16
S300	10	("5440482" "5485373" "5758314" "5787452" "5793381" "5832507" "5873111" "5929729" "6049869" "6055365").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 07:16
S299	5	mixed SAME (character ADJ set\$1) SAME double SAME single	USPAT	OR	OFF	2006/03/14 07:16
S298	43	mixed SAME (character ADJ set\$1)	USPAT	OR	OFF	2006/03/14 07:16
S297	16	("5418718").URPN.	USPAT	OR	OFF	2006/03/14 07:16
S296	16	sbcs SAME dbcs	USPAT	OR	OFF	2006/03/14 07:16
S295	83	mbcs	USPAT	OR	OFF	2006/03/14 07:16
S294	0	mbcs SAME sbcs	USPAT	OR	OFF	2006/03/14 07:16
S293	2	mbcs SAME ascii	USPAT	OR	OFF	2006/03/14 07:16
S292	189	("16" NEAR bit\$1) AND (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S291	213	((program ADJ code) SAME (message\$1 text string\$1)) AND ((look\$1up "look up") ADJ table\$1)	USPAT	OR	OFF	2006/03/14 07:16

EAST Search History

S290	5	(double\$1byte "double byte" half\$1word\$1 "half word" "double bytes" "half words") SAME (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S289	4	(double\$1byte "double byte") AND (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S288	26	ascii SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S287	40	(bios NEAR2 code\$1) SAME graphic\$1	USPAT	OR	OFF	2006/03/14 07:16
S286	4	"5812390".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S285	28	bios SAME ((conserv\$4 consolidat\$4 minimiz\$4) NEAR2 (size\$1 space\$1 memory\$1 code\$1))	USPAT	OR	OFF	2006/03/14 07:16
S284	7	bios SAME (text string\$1 message\$1) SAME (program ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S283	71	identifier\$1 NEAR2 correspond\$3 NEAR2 (text\$1 string\$1 message\$1)	USPAT	OR	OFF	2006/03/14 07:16
S282	14	"4949302".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S281	40	message\$1 NEAR (look\$1up ADJ table\$1)	USPAT	OR	OFF	2006/03/14 07:16
S280	49	(message\$1 NEAR token\$1) SAME (look\$1up table)	USPAT	OR	OFF	2006/03/14 07:16
S279	10	(message\$1 NEAR table\$1) SAME token\$1	USPAT	OR	OFF	2006/03/14 07:16
S278	5	("5519832" "5630048" "5761505" "5930503" "5933594").PN.	USPAT	OR	OFF	2006/03/14 07:16
S277	26	token\$1 NEAR2 correspond\$3 NEAR2 (text\$1 string\$1 message\$1)	USPAT	OR	OFF	2006/03/14 07:16
S276	36	separate\$1 SAME text SAME token\$1 SAME (program code)	USPAT	OR	OFF	2006/03/14 07:16
S275	23	separate SAME text SAME token SAME (program code)	USPAT	OR	OFF	2006/03/14 07:16
S274	3	(double\$1byte "double byte") SAME (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S273	3	(extended ADJ ascii) AND (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S272	3	(double\$1byte "double byte") SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S271	3	"6052800".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S270	206	("16" NEAR2 bit\$1) AND (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16

EAST Search History

S26 9	0	("5812390".PN. NEAR bit\$1) AND (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S26 8	2	(extended ADJ ascii) SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S26 7	0	(bios NEAR2 code\$1) SAME ((separate\$1 remove\$1) NEAR2 (graphic\$1 bitmap\$1))	USPAT	OR	OFF	2006/03/14 07:16
S26 6	0	(bios NEAR2 separate) NEAR2 graphic\$1	USPAT	OR	OFF	2006/03/14 07:16
S26 5	199	bios SAME (conserv\$4 consolidat\$4 minimiz\$4)	USPAT	OR	OFF	2006/03/14 07:16
S26 4	3325	(program ADJ code) SAME (message\$1 text string\$1)	USPAT	OR	OFF	2006/03/14 07:16
S26 3	0	(program ADJ code) SAME ((token\$1 identifier\$1) NEAR substitute)	USPAT	OR	OFF	2006/03/14 07:16
S26 2	0	(program ADJ code) SAME (((token\$1 identifier\$1) NEAR substitute) SAME (message\$1 text string\$1))	USPAT	OR	OFF	2006/03/14 07:16
S26 1	219	bios SAME (text string\$1 message\$1) SAME code\$1	USPAT	OR	OFF	2006/03/14 07:16
S26 0	704	bios SAME (text string\$1 message\$1)	USPAT	OR	OFF	2006/03/14 07:16
S25 9	450	message\$1 NEAR token\$1	USPAT	OR	OFF	2006/03/14 07:16
S25 8	1138	message\$1 NEAR table\$1	USPAT	OR	OFF	2006/03/14 07:16
S25 7	147	(715/536).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S25 6	551	(715/531).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S25 5	111	(715/542).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S25 4	1	("6498657").PN.	USPAT	OR	OFF	2006/03/14 07:16
S25 3	3	(double\$1byte "double byte") SAME (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S25 2	5	(double\$1byte "double byte" half\$1word\$1 "half word" "double bytes" "half words") SAME (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S25 1	189	("16" NEAR bit\$1) AND (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S25 0	206	("16" NEAR2 bit\$1) AND (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16

EAST Search History

S24 9	0	("5812390".PN. NEAR bit\$1) AND (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S24 8	4	(double\$1byte "double byte") AND (escape ADJ code\$1)	USPAT	OR	OFF	2006/03/14 07:16
S24 7	3	(extended ADJ ascii) AND (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S24 6	2	(extended ADJ ascii) SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S24 5	3	(double\$1byte "double byte") SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S24 4	26	ascii SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S24 3	40	(bios NEAR2 code\$1) SAME graphic\$1	USPAT	OR	OFF	2006/03/14 07:16
S24 2	0	(bios NEAR2 code\$1) SAME ((separate\$1 remove\$1) NEAR2 (graphic\$1 bitmap\$1))	USPAT	OR	OFF	2006/03/14 07:16
S24 1	0	(bios NEAR2 separate) NEAR2 graphic\$1	USPAT	OR	OFF	2006/03/14 07:16
S24 0	4	"5812390".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S23 9	28	bios SAME ((conserv\$4 consolidat\$4 minimiz\$4) NEAR2 (size\$1 space\$1 memory\$1 code\$1))	USPAT	OR	OFF	2006/03/14 07:16
S23 8	199	bios SAME (conserv\$4 consolidat\$4 minimiz\$4)	USPAT	OR	OFF	2006/03/14 07:16
S23 7	213	((program ADJ code) SAME (message\$1 text string\$1)) AND ((look\$1up "look up") ADJ table\$1)	USPAT	OR	OFF	2006/03/14 07:16
S23 6	3325	(program ADJ code) SAME (message\$1 text string\$1)	USPAT	OR	OFF	2006/03/14 07:16
S23 5	0	(program ADJ code) SAME ((token\$1 identifier\$1) NEAR substitute)	USPAT	OR	OFF	2006/03/14 07:16
S23 4	0	(program ADJ code) SAME (((token\$1 identifier\$1) NEAR substitute) SAME (message\$1 text string\$1))	USPAT	OR	OFF	2006/03/14 07:16
S23 3	7	bios SAME (text string\$1 message\$1) SAME (program ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S23 2	219	bios SAME (text string\$1 message\$1) SAME code\$1	USPAT	OR	OFF	2006/03/14 07:16
S23 1	704	bios SAME (text string\$1 message\$1)	USPAT	OR	OFF	2006/03/14 07:16
S23 0	71	identifier\$1 NEAR2 correspond\$3 NEAR2 (text\$1 string\$1 message\$1)	USPAT	OR	OFF	2006/03/14 07:16

EAST Search History

S22 9	14	"4949302".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S22 8	40	message\$1 NEAR (look\$1up ADJ table\$1)	USPAT	OR	OFF	2006/03/14 07:16
S22 7	49	(message\$1 NEAR token\$1) SAME (look\$1up table)	USPAT	OR	OFF	2006/03/14 07:16
S22 6	450	message\$1 NEAR token\$1	USPAT	OR	OFF	2006/03/14 07:16
S22 5	10	(message\$1 NEAR table\$1) SAME token\$1	USPAT	OR	OFF	2006/03/14 07:16
S22 4	1138	message\$1 NEAR table\$1	USPAT	OR	OFF	2006/03/14 07:16
S22 3	5	("5519832" "5630048" "5761505" "5930503" "5933594").PN.	USPAT	OR	OFF	2006/03/14 07:16
S22 2	3	"6052800".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S22 1	26	token\$1 NEAR2 correspond\$3 NEAR2 (text\$1 string\$1 message\$1)	USPAT	OR	OFF	2006/03/14 07:16
S22 0	36	separate\$1 SAME text SAME token\$1 SAME (program code)	USPAT	OR	OFF	2006/03/14 07:16
S21 9	23	separate SAME text SAME token SAME (program code)	USPAT	OR	OFF	2006/03/14 07:16
S21 8	147	(715/536).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S21 7	551	(715/531).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S21 6	111	(715/542).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16